

PhD: Shared Control of Human-Machine Systems with Uncertainties: A Guaranteed State Estimation-Based Controller Approach

Supervisors: Thach Ngoc Dinh (CNAM), Tarek Raïssi (CNAM), Khoa Duc Nguyen (Bertrandt), Diemer Anda Ondo (Bertrandt), **Geoffrey Bruno (Bertrandt) ?**

Keywords: ADAS, nonlinear control, robust interval estimation, real-data simulations

Context: The race to develop autonomous vehicles (AV) and advanced driver assistance systems (ADAS) is on. Public institutions and the industry are accelerating AV and ADAS development efforts to get ahead in the race. The design of advanced, intelligent and efficient ADAS's such as lane keeping assist (LKA), adaptive cruise control (ACC), collision avoidance (CA) and so on has been carried out in many works and successfully implemented. Despite the results already available in the literature, much remains to be done to complete the theory as well as experiments of ADAS. Indeed, the successful integration of these systems in the control design while taking into account cooperative control between human driver and ADAS together with uncertainties such as state and measurement disturbances remains a challenging issue.




This PhD project aims to design advanced control and estimation algorithms for ADAS, which can guarantee not only the real-time capability, but also the robustness of the system against external disturbances (e.g. slope, road edge, road/tire friction, driver reaction etc.), unmeasured states (e.g. sideslip angle) and noisy sensor data. In contrast to the state feedback controller which is frequently used, we focus on dynamic output feedback controller since in almost all practical control applications, a full access to the state of the physical system is neither available for measurements nor practical to measure all of them (e.g., it is too expensive to measure all state variables), see for instance (Sadabadi and Peaucelle, 2016). An observer-based control scheme is a dynamic feedback controller with a two-stage structure (Trentelman and P. Antsaklis, 2014). First, the controller generates an estimate of the state variable of the system to be controlled, using the measured output and known input of the system. This estimate is generated by a state observer for the system. Next, the state estimate is treated as if it were equal to the exact state of the system, and it is used by a static state feedback controller. Dynamic feedback controllers with this two-stage structure appear in various control synthesis problems for dynamical systems.

The first objective of this PhD is to develop robust estimation algorithms, called set-membership estimators, based on the concepts of guaranteed state estimation. Two main approaches will be considered: interval observers (T.N. Dinh et al., 2014; T.N. Dinh et al., 2019; Raïssi et al., 2012) and zonotope estimators (Combastel, 2015; Li et al., 2019). They can be applied to dynamical systems that can be subject to sensor and actuator faults in the presence of noises and

disturbances. The second objective of this PhD thesis is to develop control method based on guaranteed state estimation (Dinh and Ito, 2017) to manage the conflict between the human driver and the ADAS. Inspired by (Sentouh et al., 2019), the driver dynamics will be incorporated into the vehicle system for driver-in-the-loop control purposes. Next, the driver-vehicle system can be represented in the form of Takagi-Sugeno (also called quasi-LPV) models (Nguyen et al., 2019). These models allow representing exactly the dynamics of a given nonlinear system within a compact set of the state space (Takagi and Sugeno, 1985). Using Lyapunov functions, rigorous proofs on stability and performance of nonlinear systems can be demonstrated. The control and observer design can be reformulated as a convex optimization problem. Then, the control law with the feedback gains are computed by solving Linear Matrix Inequality (LMI) with solvers like SeDuMi (J.F. Sturm, 1999). Another technical challenge has to be considered in this PhD is to include the saturation (magnitude/rate) of input into control design. Although there exist in the literature solutions using advanced anti-windup design (S. Tarbouriech and M. Turner, 2007; I. Queinnec et al., 2016) and observer-based controller (J. Liu et al., 2018) to tackle this problem, to the best of our knowledge, this problem is hardly taken into account in robust control design for ADAS and in particular, the guaranteed state estimation-based controller has not been fully investigated.

Another research direction in this PhD is to employ machine learning in control design to improve the performance and drivability of the system. Employing machine learning helps to update the feedback gains, control law adaptively over driving styles and measured performance changes using reinforcement learning (Kuderer et al., 2015). This research direction is a new trend in automatic control and will be a possibly considerable research for the next generation of semi and full-autonomous systems (Sutton and Barto, 2018).

Moreover, the usefulness of interval estimates is evident for monitoring purposes when large disturbances or uncertainties are present. Monitoring problems will be also carried out when there



is not intervention of the human driver, which can be extended to autonomous vehicles. The knowledge of localization uncertainties is of prime importance when the navigation of autonomous vehicles must deal with safety issues (Drevelle and Bonnifait, 2013). This PhD presents a robust estimation method that can quantify the localization confidence based on interval analysis and can open an application to vehicle-to-vehicle (V2V) systems in which vehicles are providing each other with information, such as safety warnings and traffic information. The tradeoff between monitoring, disturbance rejection, robustness with respect to the modeling uncertainties and the vehicle fuel consumption will be studied. The developed control and estimation algorithms will be tested under various driving situations (i.e., highway driving, urban obstacles avoidances, etc.) in simulation with real data provided by the company Bertrandt Vélizy-Villacoublay, France.

References

- H. L. Trentelman and P. Antsaklis, "Observer-Based Control", Springer eBook, 2014
<https://doi.org/10.1007/978-1-4471-5102-9>
- C. Sentouh, A-T. Nguyen, J. Rath, J. Floris, J-C. Popieul, "Human-Machine Shared Control for Vehicle Lane Keeping Systems: A Lyapunov Based Approach", IET Intelligent Transport Systems, vol. 13, pp. 63-71, 2019
- M. S. Sadabadi and D. Peaucelle, "From static output feedback to structured robust static output feedback: A survey," Annual Reviews in Control, vol. 42, pp. 11-26, 2016.
- T.N. Dinh, F. Mazenc, S.-I. Niculescu, "Interval Observer Composed of Observers for Nonlinear Systems", in Proceedings of the 13th European Control Conference, Strasbourg, France, pp. 660-665, 2014.
- T.N. Dinh, F. Mazenc, T. Raïssi, "Finite-time guaranteed state estimation for discrete-time systems with disturbances", in Proceedings of the 4th conference on Control and Fault-Tolerant Systems, Casablanca, Morocco, pp. 342-347, 2019.
- T.N. Dinh, H. Ito, "On feedback transformation and integral input-to-state stability in designing robust interval observers for control systems", Positive Systems, Volume 471 of the series Lecture Notes in Control and Information Sciences, F. Cacace, L. Farina, R. Setola, A. Germani (editors), pp. 53-65, Springer, 2017.
- Combastel, C, "Zonotopes and Kalman observers: Gain optimality under distinct uncertainty paradigms and robust convergence", Automatica, 55, 265-273, 2015.
- T. Raïssi, D. Efimov, A. Zolghadri, "Interval State Estimation for a Class of Nonlinear Systems", IEEE Transactions on Automatic Control, 57, pp. 260-265, 2012.
- J Li, Z Wang, Y Shen, M Rodrigues, "Zonotopic fault detection observer for linear parameter-varying descriptor systems", International Journal of Robust and Nonlinear Control, 29 (11), 3426-3445, 2019
- A-T. Nguyen, T. Taniguchi, L. Eciolaza, V. Campos, R. Palhares, M. Sugeno, "Fuzzy Control Systems: Past, Present and Future", IEEE Computational Intelligence Magazine, vol. 14, pp. 56-68, 2019
- T. Takagi, M. Sugeno, "Fuzzy identification of systems and its applications to modeling and control", IEEE Trans. Systems, Man, Cybernetics, 15(1), 116-132, 1985
- J.F. Sturm, "Using SeDuMi 1.02, a MATLAB toolbox for optimization over symmetric cones", Optimization Methods and Software, vol. 11-12, pp. 625-653, 1999
- S. Tarbouriech, M. Turner, "Anti-windup design: an overview of some recent advances and open problems", IET Control Theory & Applications (Volume: 3 , Issue: 1 , January 2009)
- S. Tarbouriech, I. Queinnec, J.-M. Biannic, C. Prieur, "Pilot-Induced-Oscillations alleviation through anti-windup based approach", In: Fasano G., Pintér J. (eds) Space Engineering. Springer Optimization and Its Applications, vol 114. Springer, Cham, 2016
- Z. Liu, J. Liu, L.Wang, "Disturbance observer based attitude control for flexible spacecraft with input magnitude and rate constraints", Aerospace Science and Technology, vol. 72, pp. 486-492, 2018
- M. Kuderer, S. Gulati, W. Burgard, "Learning driving styles for autonomous vehicles from demonstration", IEEE International Conference on Robotics and Automation (ICRA), 2015

R.S. Sutton and A.G. Barto, "Reinforcement learning: An introduction", Second Edition. MIT press Cambridge, 2018.

V. Dreville, P. Bonnifait, "Localization Confidence Domains via Set Inversion on Short-Term Trajectory", IEEE Transactions on Robotics, 29(5):1244-1256, 2013.
